

# Free Standing Liquid Transport Tanks

Liquid Transportation

### Features

- Easy to read calibrations†
- Durable, impact resistant, UV stabilised polyethylene for long life
- One outlet supplied with each tank, quantity and sizes optional
- Spill containment lip surrounds the lid
- Integral baffle options to reduce surge and increase stability\*
- Optional ball baffle system and a galvanised skid that can be lifted with a forklift

**10 Year** Warranty  
LIQUID TRANSPORTATION TANKS



## Free Standing Liquid Transport Tanks

Code	Description (mm)
ST400FS	400 Litre Free Standing Liquid Transport Tank - (1250L x 850W x 650H)
ST600FS	600 Litre Free Standing Liquid Transport Tank - (1350L x 980W x 710H)
ST800FS	800 Litre Free Standing Liquid Transport Tank - (1370L x 1100W x 860H)
ST1000FS	1,000 Litre Free Standing Liquid Transport Tank - (1370L x 1210W x 960H)
ST1500FS	1,500 Litre Free Standing Liquid Transport Tank - (1780L x 1260W x 1045H)
ST2000FS	2,000 Litre Free Standing Liquid Transport Tank - (1830L x 1400W x 1130H)
ST3000FS	3,000 Litre Free Standing Liquid Transport Tank - (2365L x 1460W x 1300H) - Non Baffled
ST5000FS	5,000 Litre Free Standing Liquid Transport Tank - (2425L x 1830W x 1708H) - Non Baffled
ST7000FS	7,000 Litre Free Standing Liquid Transport Tank - (3400L x 1850W x 1670H)
ST10000FS	10,000 Litre Free Standing Liquid Transport Tank - (3600L x 2110W x 2020H)
ST12500FS	12,500 Litre Free Standing Liquid Transport Tank - (3930L x 2200W x 2085H) - Non Baffled
ST17000FS	17,000 Litre Free Standing Liquid Transport Tank - (4630L x 2330W x 2350H) - Non Baffled

## Free Standing Liquid Transport Tanks Skid Frames

Code	Description (mm)
SKD-FS-400	Duralgalv Skid Frame To Suit 400L Free Standing Cartage Tank
SKD-FS-600	Duralgalv Skid Frame To Suit 600L Free Standing Cartage Tank
SKD-FS-800	Duralgalv Skid Frame To Suit 800L Free Standing Cartage Tank
SKD-FS-1000	Duralgalv Skid Frame To Suit 1000L Free Standing Cartage Tank
SKD-FS-1500	Duralgalv Skid Frame To Suit 1500L Free Standing Cartage Tank
SKD-FS-2000	Duralgalv Skid Frame To Suit 2000L Free Standing Cartage Tank - Fork Accessible
SKD-FS-3000	Duralgalv Skid Frame To Suit 3000L Free Standing Cartage Tank - Fork Accessible
SKD-FS-5000	Duralgalv Skid Frame To Suit 5000L Free Standing Cartage Tank - Fork Accessible
SKD-FS-7000	Duralgalv Skid Frame To Suit 7000L Free Standing Cartage Tank - Fork Accessible
SKD-FS-10000	Duralgalv Skid Frame To Suit 10000L Free Standing Cartage Tank - Fork Accessible
SKD-FS-12500	Duralgalv Skid Frame To Suit 12500L Free Standing Cartage Tank - Fork Accessible
SKD-FS-17000	Duralgalv Skid Frame To Suit 17000L Free Standing Cartage Tank - Fork Accessible

\* Except 3000, 5000, 12500 & 17000ltr Models  
† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

# Sump Based Liquid Transport Tanks

Liquid Transportation

**10 Year**  
Warranty

LIQUID TRANSPORTATION  
TANKS

## Features

- Durable, impact resistant, UV stabilised polyethylene for long life
- Easy to read calibrations†
- Stainless steel lid and basket filter
- One outlet supplied with the tank, quantity and sizes optional
- Spill containment lip surrounds the lid
- Smooth interior and integral sump model enabling complete evacuation and decontamination of tank making chemical changes easier
- Available with robust hot dipped galvanised steel mounting frame for protection of tank and ease of installation
- Mounting pins supplied as standard. Extra mounting pins available
- Optional ball baffle system available



## Sump Base



Note that the sump sits lower than the legs

## Sump Based Liquid Transport Tanks

Code	Description (mm)
ST400	400 Litre Sump Based Liquid Transport Tank - (1250L x 850W x 650H)
ST600	600 Litre Sump Based Liquid Transport Tank - (1350L x 980W x 710H)
ST800	800 Litre Sump Based Liquid Transport Tank - (1370L x 1100W x 860H)
ST1000	1,000 Litre Sump Based Liquid Transport Tank - (1355L x 1210W x 960H)
ST1500	1,500 Litre Sump Based Liquid Transport Tank - (1750L x 1250W x 1045H)
ST2000	2,000 Litre Sump Based Liquid Transport Tank - (1880L x 1410W x 1130H)
ST3000	3,000 Litre Sump Based Liquid Transport Tank - (2365L x 1460W x 1300H)
ST5000	5,000 Litre Sump Based Liquid Transport Tank - (2425L x 1830W x 1708H)
ST7000	7,000 Litre Sump Based Liquid Transport Tank - (3400L x 1850W x 1670H)
ST10000	10,000 Litre Sump Based Liquid Transport Tank - (3660L x 2110W x 2020H)
ST12500	12,500 Litre Sump Based Liquid Transport Tank - (3930L x 2200W x 2105H)

## Sump Based Liquid Transport Tank Skid Frames

Code	Description (mm)
SKD-SU-400	Duragalv Skid Frame To Suit 400L Sump Based Cartage Tank
SKD-SU-600	Duragalv Skid Frame To Suit 600L Sump Based Cartage Tank
SKD-SU-800	Duragalv Skid Frame To Suit 800L Sump Based Cartage Tank
SKD-SU-1000	Duragalv Skid Frame To Suit 1000L Sump Based Cartage Tank
SKD-SU-1500	Duragalv Skid Frame To Suit 1500L Sump Based Cartage Tank
SKD-SU-2000	Duragalv Skid Frame To Suit 2000L Sump Based Cartage Tank - Fork Accessible
SKD-SU-3000	Duragalv Skid Frame To Suit 3000L Sump Based Cartage Tank - Fork Accessible
SKD-SU-5000	Duragalv Skid Frame To Suit 5000L Sump Based Cartage Tank - Fork Accessible
SKD-SU-7000	Duragalv Skid Frame To Suit 7000L Sump Based Cartage Tank - Fork Accessible
SKD-SU-10000	Duragalv Skid Frame To Suit 10000L Sump Based Cartage Tank - Fork Accessible
SKD-SU-12500	Duragalv Skid Frame To Suit 12500L Sump Based Cartage Tank - Fork Accessible

† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

# Skid Mounted Dust Suppression Units

Liquid Transportation and Dust Suppression



Product images are a close guide only and may not represent actual product

## Dust Suppression Equipment Features:

- Features a portable dust suppression spray tank on a galvanised skid mounted frame with forklift access for manoeuvrability on and off trucks and trailers during dust control operations
- Sturdy lash down points on the frame for secure transport
- High-grade finish on all safety rail kits
- Hose reel for spot dust control or rinsing/wash down applications
- Unique stow-away, ground access ladder for hose reel/pump operation
- Lid access ladder and handrails for safe filling operations
- Left and right or centre deflector sprays with individual ball valve on/off control with remote control cab actuator control
- Available in a range of capacities up to 17,000 litres



## Other Features:

- Range of pump options including hydraulic driven or diesel engine driven for high pressure supply to batter sprays, dribble bars or water cannons
- Transfer pumps with camlock fittings for easy use
- A variety of options for spray fittings, valves, hoses, and setup



# Waste Transfer Systems

Liquid Transportation and Dust Suppression



Product images are a close guide only and may not represent actual product

## Feature Options

- Range of trash pumps available
  - Diesel or Petrol
- Designed and manufactured for easy operation
- Durable UV stabilised polyethylene tank with a Baffle
- Galvanised chassis frame
- Heavy duty pivot jockey wheel
- Landcruiser stud pattern rims
- Suction hose for waste tank pump outs
- Mine site ready options available



# Accessories

## Liquid Transportation Product Accessories



### Transport Tank Lids and Basket Filters

Code	Description (mm)
COMP-33-01	255mm Screw Lid, Rim and Seal
COMP-33-04	255mm Strainer Basket
COMP-33-05-PPE	355mm Screw Lid
COMP-33-07-PPE	355mm Strainer Basket
COMP-33-08-PPE	455mm Screw Lid
COMP-33-09-PPE	455mm Strainer Basket
SSTL-455	455mm Stainless Steel Hinged Lid and Seal

### Features

- Tested and approved by Loadsafe Australia and complies with load restraint guide performance standards
- Reduces fluid movement for improved load stability during transit
- Independent testing shows 46 percent improvement in braking
- Slalom testing shows a remarkable increase in vehicle stability with a two thirds full water tank fitted with a Baffle Ball System®
- Suitable for use with all tanks - steel, poly or fibreglass, etc
- Food grade quality material, which is suitable for potable water
- Can be used with water, diesel and other liquids
- Will not rust and is lightweight and durable
- Low liquid displacement
- Simple to install
- Recommended quantities include: 355mm is one ball baffle per 40 litres of tank capacity
- Ball baffles are supplied in two halves and must be clipped together and inserted through the lid into the tank



### Baffle Ball

Code	Description (mm)
SBB355	Large Baffle Ball - 355mm

### Mounting Pins

Code	Description (mm)
STA-20-2	Set of (4x PART-05-02) Mounting Pins to suit 400 and 600 Litre Cartage Tanks
STA-25	Set of (4x PART-05-03) Mounting Pins to suit 800-5,000 Litre Cartage Tanks
STA-38	Set of (4x PART-05-04) Mounting Pins to suit 7,000 Litre Cartage Tank
STA-47	Set of (4x PART-05-05) Mounting Pins to suit 10,000 Litre Cartage Tank
STA-38-2	Set of (8x PART-05-04) Mounting Pins to suit 12,500-17,000 Litre Cartage Tank





# Accessories

## Liquid Transportation Product Accessories



### Platform Safety Rails

Code	Description (mm)
MT-PSR	Platform Safety Rail Kit To Suit Heavy Duty Skids

### Hatch Access Ladders

Code	Description (mm)
MT-HAL	Hatch Access Ladder To Suit Heavy Duty Skids

### Ground Access Ladders

Code	Description (mm)
MT-GAL	Ground Access Ladder To Suit Heavy Duty Skids



### Poly Tank Fittings

- Available in six sizes
- Manufactured from UV stabilised glass fibre reinforced nylon provides resistance to the weather, termites, fungi and bacteria



### Brass Tank Fittings

- Brass tank fittings have internal and external threads (25-50mm)
- Locking nut is left hand thread for a secure fit. Doesn't come loose when fitting valves



**Brass Lever Ball Valve**



**Poly Ball Valve**

### Tank Flange Fittings

Code	Description (mm)
COMP-19-02	25mm (1") Poly Fitting
COMP-19-03	32mm (1 1/4") Poly Fitting
COMP-19-04	40mm (1 1/2") Poly Fitting
COMP-19-05	50mm (2") Poly Fitting
COMP-19-06	80mm (3") Poly Fitting
COMP-19-07	100mm (4") Poly Fitting
COMP-01-01	25mm (1") Brass Fitting
COMP-01-02	32mm (1 1/4") Brass Fitting
COMP-01-03	40mm (1 1/2") Brass Fitting
COMP-01-04	50mm (2") Brass Fitting
COMP-01-05	80mm (3") Brass Fitting
COMP-01-06	100mm (4") Brass Fitting

### Ball Valves and Taps

Code	Description
COMP-37-01	Brass Lever Ball Valve – 25mm BSP Thread
COMP-37-02	Brass Lever Ball Valve – 32mm BSP Thread
COMP-37-03	Brass Lever Ball Valve – 40mm BSP Thread
COMP-37-04	Brass Lever Ball Valve – 50mm BSP Thread
COMP-37-07	Brass Lever Ball Valve – 80mm BSP Thread
COMP-37-08	Brass Lever Ball Valve – 100mm BSP Thread
COMP-36-01	Poly Ball Valve – 25mm BSP Thread
COMP-36-02	Poly Ball Valve – 32mm BSP Thread
COMP-36-03	Poly Ball Valve – 40mm BSP Thread
COMP-36-04	Poly Ball Valve – 50mm BSP Thread
COMP-36-05	Poly Ball Valve – 80mm BSP Thread
COMP-36-06	Poly Ball Valve – 100mm BSP Thread